



## E2B-S08LS02-MC-C1

Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, M8 plug-in (3 pin)

Size	M8
Mounting type	Flush
Sensing distance	2 mm
Output type	NPN
Operation mode	NO
Connection method	Connector M8 - 3 pin
Material housing	Stainless steel
Cable specifications	-
Overall length of sensor	66 mm
Thread length	49 mm
Degree of protection (IP)	IP67

## İlgili ürünler



### M8 Konnektörler ve Kablo Setleri

Her uygulama için endüstriyel konnektörler ve kablo setleri

## CAD Kütüphanesi



### E2B Cylindrical Proximity Sensor Veri Sayfası

EN PDF 6,6 MB



### E2B- Talimat Sayfası

EN PDF 1,02 MB



### EAC Mark removal Üretimden Kaldırılma Bildirimi

EN PDF 221 KB



### Proximity Sensors Broşür

TR PDF 2,91 MB

#### WEB SİTESİ KULLANIM KOŞULLARI

Bu PDF belgesi, 28 August, 2024 tarihinde OMRON Endüstriyel Otomasyon Avrupa web sitesinden oluşturulmuştur. [yasal duyurular](#) için buraya tıklayın.