



E2B-S08KN04-MC-B2

Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NC, M8 plug-in (3 pin)

Size	M8
Mounting type	Non-flush
Sensing distance	4 mm
Output type	PNP
Operation mode	NC
Connection method	Connector M8 - 3 pin
Material housing	Stainless steel
Cable specifications	-
Overall length of sensor	44 mm
Thread length	21 mm
Degree of protection (IP)	IP67

İlgili ürünler



M8 Konnektörler ve Kablo Setleri

Her uygulama için endüstriyel konnektörler ve kablo setleri

CAD Kütüphanesi



E2B Cylindrical Proximity Sensor Veri Sayfası

EN PDF 6,6 MB



E2B- Talimat Sayfası

EN PDF 1,02 MB



EAC Mark removal Üretimden Kaldırılma Bildirimi

EN PDF 221 KB



Proximity Sensors Broşür

TR PDF 2,91 MB

WEB SİTESİ KULLANIM KOŞULLARI

Bu PDF belgesi, 27 August, 2024 tarihinde OMRON Endüstriyel Otomasyon Avrupa web sitesinden oluşturulmuştur. [yasal duyurular](#) için buraya tıklayın.